

## Gerard Henry, MD Publications

Henry, GD, Hansen, AR, Gudeman, SK. "Alcohol as a Potentiator of Brain Injury Following Blunt Trauma." Fax, A Journal of Student Inquiry. 8(1):68. 1993.

Gerard D. Henry, John Madden, Chris E. Iselin, John Lacey, Michael A. Thompson, Ann Phippen, Brian H. Annex, David F. Price, and Craig F. Donatucci. "Effect of Androgen Manipulation on the Expression of Vascular Endothelial Growth Factor and Endothelial Nitric Oxide Synthase in the Rat Penis." August 24-28, 1998. Eighth World Meeting on Impotence Research, IJIR 1998.

Robert R. Byrne, Gerard D. Henry, John Madden, Chris E. Iselin, and Craig F. Donatucci. "Intracavernosal Vascular Endothelial Growth Factor Restores Corporal Smooth Muscle Response to Nitric Oxide." AUA Annual Meeting: Journal of Urology Supplement: 1999.

Gerard D. Henry, John Madden, Chris E. Iselin, John Lacey, Michael A. Thompson, Ann Phippen, Brian H. Annex, David F. Price, and Craig F. Donatucci.

"Effect of Androgen Manipulation on the Expression of Vascular Endothelial Growth Factor and Endothelial Nitric Oxide Synthase in the Rat Penis." IJIR 1999

Robert R. Byrne, Gerard D. Henry, TTT Huynh, Anne M. Pippin, Brian H. Annex, Per-Otto Hagen, Craig F. Donatucci. Intravenous Vascular Endothelial Growth Factor Restores Corporal Smooth Muscle Response to Nitric Oxide. IJIR 1999

Robert R. Byrne, Gerard D. Henry, TTT Huynh, Ann M. Pippin, Brian H. Annex, Per-Otto Hagen, Craig F. Donatucci. Intravenous Vascular Endothelial Growth Factor Restores Both Endothelial Dependent and Independent Corporal Smooth Muscle Relaxation. IJIR 1999

Robert R. Byrne, Gerard D. Henry, TTT Huynh, Brian H. Annex, Per-Otto Hagen, Craig F. Donatucci. "Intracavernosal Vascular Endothelial Growth Factor Protects Endothelial Dependent Corporal Smooth Muscle Relaxation: A Preliminary Study." IJIR 1999

Gerard D. Henry, Robert R. Byrne, Mark Makhuli, and Craig F. Donatucci. "Immunohistochemistry of Vein Grafting of the Tunica Albuginea in Comparison to Tunica Vaginalis." AUA Annual Meeting: Journal of Urology 2000 Supplement.

Gerard D. Henry, John Madden, Mark Makhuli, and Craig F. Donatucci. "Mechanical Properties of Tunica Vaginalis and Vein in Grafting of the Tunica Albuginea. Ninth World Meeting on Impotence Research, IJIR 2000.

Gerard D. Henry, John Madden, and Craig F. Donatucci. "Immunoexpression of CD31 and Factor VIII in Corporal Biopsies from Impotent Men." Ninth World Meeting on Impotence Research, IJIR 2000.

Rao, R., Byrne, R., Henry, G., Hagen, P.O., Annex, B., and C. Donatucci. "BFGF Reverses Corporal Vasoactive Dysfunction in a Hypercholesterolemic Rabbit Model of Vascular Disease." IJIR 13(4): S26. 2000

Gerard D Henry, Steven K Wilson, et al.: THE IMMUNOSUPPRESSION OF CD31 AND FACTOR VII IN HUMAN CORPORAL TISSUES FROM IMPOTENT MEN WITH DISEASE RELATED VARIATION. International Journal of Impotence Research, 13 Suppl 1:S61, 2001.

Wilson SK, Delk JR, and Henry GD: SHORT TERM FOLLOW-UP FOR AMERICAN MEDICAL SYSTEMS 700CX PROSTHESIS. Journal of Urology, 167(4): 150, 2002.

Rao, DS, Lewis, BA, Bryne, RR, Henry, GD, Hagen, PO, Annex, BH, and CF Donatucci. "Basic Fibroblast Growth Factor Restores Corporal Vasoactive Function in a Rabbit Atherosclerotic Model of Vascular Disease." JU 167 (4): s244. 2002

John R. Delk, Gerard D. Henry, and Steven K. Wilson, "Relationship between changes in Frequency, Urgency, and Urge Incontinence to changes in Overactive Bladder – Questionnaire (OABQ)" SCS-AUA 2002

Gerard D. Henry, Steven K. Wilson, and John R. Delk, "Efficacy of Detrol LA Treatment for Overactive Bladder (OAB) in Older versus Younger Patients." SCS-AUA 2002

Gerard D. Henry, Steven K. Wilson, and John R. Delk, "Safety of Tolterodine in Men with Detrusor Overactivity and Concurrent Bladder Outlet Obstruction." SCS-AUA 2002

Steven K. Wilson, Gerard D. Henry, and John R. Delk, "Mentor Lock-Out Valve Allows Ectopic Placement of the Reservoir in IPP Surgery." SCS-AUA, 2002

Wilson, S.K., Delk, J.R., Henry, G. D.: Short-term follow up for enhanced American Medical Systems 700CX prosthesis. J. Urol. 167(4): 150, 2002

Wilson SK, Henry GD, Delk JR: IPP AND AUS THROUGH ONE INCISION. International Journal of Impotence Research, 14, Suppl 3:S33, 2002.

Wilson SK, Henry GD, Delk JR , Cleves MA. THE MENTOR ALPHA LOCK-OUTVALVE PREVENTS AUTO-INFLATION FOLLOWING INFLATABLE PENILE PROSTHESIS SURGERY. International Journal of Impotence Research, 14, Suppl 3: S33, 2002.

Wilson SK, Henry GD, Delk JR: MENTOR ALPHA LOCK-OUT VALVE ALLOWS ECTOPIC PLACEMENT OF THE RESEVOIR IN IPP SURGERY. International Journal of Impotence Research, 14, Suppl 3: S34, 2002.

Silverstein A, Henry GD, Delk JR, Wilson SK, Donatucci CF. NASAL CARRIAGE OF STAPHYLOCOCCUS AUREUS AS A POTENTIAL RISK FACTOR FOR INFECTION AFTER PENILE PROSTHESIS PLACEMENT. International Journal of Impotence Research, 14, Suppl 3: S61, 2002.

Henry GD, Wilson SK, Delk JR, Carson CC, Silverstein A, Donatucci C. INFLATABLE PENILE PROSTHESIS CULTURE DURING REVISION SURGERY. Journal of Urology, 169, Suppl 4, 325, 2003.

Wilson SK, Henry GD, Delk JR , Cleves MA. PREVENTION OF INFECTION IN REVISION OF PENILE PROSTHESIS BY USING ANTIBIOTIC COATED PROSTHESES AND MULCAHY SALVAGE PROTOCOL. Journal of Urology, 169: Suppl 4, 325, 2003.

Henry GD, Carson CC, Delk JR, Donatucci C, Drettas P, Wilson SK. INFLATABLE PENILE PROSTHESIS CULTURE DURING REVISION SURGERY. International Journal of Impotence Research, 15, Suppl 6: S13, 2003.

Henry GD, Delk JR, Wilson SK. THE AMS 1500: DUAL IMPLANTATION OF AMS 700 AND AMS 800 THROUGH ONE HIGH TRANSVERSE SCROTAL INCISION. International Journal of Impotence Research, 15, Suppl 6: S13, 2003.

Steven K Wilson, Gerard D Henry and John R Delk, "Improved Freedom from Infection for AMS 700CX Prosthesis Coated with Antibiotics Rifampin and Minocycline"

Steven K Wilson, Gerard D Henry and John R Delk , "The AMS 1500: Dual Implantation of AMS 700CX and AMS 800 through One High Transverse Scrotal Incision"

Henry, G. D., Wilson, S. K., Delk, J. R., Carson, C. C., Silverstein, A., Donatucci, C. F.: Inflatable penile prosthesis cultures during revision surgery. J. Urol., 169(4): s325, 2003

Wilson, S.K., Delk, J. R., Henry, G. D.: Upsizing of Inflatable Penile Prostheses in Corporal Fibrosis aua 2004

Gerard D Henry, Steven K Wilson, John R Delk, Mario A Cleves: "Is There A Difference in Ease of Instruction Between the Two Inflatable Penile Prosthesis Pumps?" SCS – AUA, page 313, 2004

Gerard D Henry and John Brizzolara: " Interstim Tined Electrode for Minimally Invasive Sacral Nerve Stimulation" SCS – AUA, accepted poster, 2004

Henry, GD, Wilson, SK, Delk II, JR: Early results with new "ribs and pads" AMS 700 pump: device instruction easier. J Sex Med vol 1(supp 1): November 2004; page 81

Wilson, SK, Henry, GD, Delk II, JR: Reimplantation of Inflatable Penile Prosthesis into scarred corporal bodies facilitated with new AMS 700CXR cylinders . J Sex Med vol 1(supp 1): November 2004; page 82

Henry, GD, Brinkman, MJ, Cleves, MA: A Survey of Patients with Inflatable Penile Prostheses for Patient Satisfaction. SES-AUA handbook, March 2005

Gerard D. Henry, Culley C. Carson, III, Chris Tornehl, Mario Cleves, Ari Silverstien, Jeremy Wyygul, Craig F Donatucci: Revision Washout Reduces Penile Prosthesis Infection in Revision Surgery: A Multicenter Study with more than Three Years Follow up. J Urol., 173 (S4); 342, 2005

Steven K Wilson, John R Delk, II, Mario Cleves, Gerard D Henry: Single Surgical Team Experience with Infection Reduction Utilizing Inhibizone Coated Inflatable Penile Prostheses. J Urol., 173 (S4); 343, 2005

K. McVary, J. Camps, G. Henry, S. Conner, L. Tseng, G. Van Den Ende: Sildenafil Improves Erectile Function and Urinary Symptoms in Men with Erectile Dysfunction and Concomitant Lower Urinary Tract Symptoms. SMS national meeting at NYC, NY, November 2005

Gerard Henry, Mary Jo Brinkman, Steve Wilson, John Delk, and Mario Cleves: Timing And Frequency of Sexual Intercourse After Implantation of an Inflatable Penile Prosthesis. Poster #69, Southeastern Section of the American Urologic Association, Rio Grande, Puerto Rico. March 3, 2006

Gerard Henry, Mary Jo Brinkman, Steve Wilson, John Delk, and Mario Cleves: Survival Outcome On Over A Thousand Primary Implantations of Inflatable Penile Prostheses (IPPs) With Long Term Follow Up. Poster #64, Southeastern Section of the American Urologic Association, Rio Grande, Puerto Rico. March 3, 2006

Gerard D. Henry: PERINEAL APPROACH FOR IMPLANTATION OF AN ARTIFICIAL URINARY SPHINCTOR APPEARS TO CONTROL MALE STRESS URINARY INCONTINENCE BETTER THAN THE PENOSCROTAL APPROACH. # 352, J Urol. 2006; 175(supple 4)

Gerard D Henry, Culley C Carson, Steven K Wilson, John R Delk, Jeremy Wygul, Chris Tornehl, and Craig F. Donatucci: REVISION WASHOUT REDUCES IMPLANT CAPSULE TISSUE CULTURE POSITIVITY: A MULTICENTER STUDY, #1308, J Urol. 2006; 175(supple 4): 421

K. McVary, J. Camps, G. Henry, S. Conner, L. Tseng, G. Van Den Ende: Sildenafil Improves Erectile Function and Urinary Symptoms in Men with Erectile Dysfunction and Concomitant Lower Urinary Tract Symptoms. J Urol. 2006; 175(supple 4): 298

Gerard D Henry, Mary Jo Brinkman, Steven K Wilson, John R Delk II, and Mario A Cleves, "*Timing and Frequency of Intercourse after Implantation of a Penile Prostheses*" (receipt # 257, final abstract nr. MP-087) 12th World Congress of the International Society for Sexual Medicine (ISSM), 2006

Run Wang, Gerard D Henry, Steven K Wilson, and John R Delk: "*Simultaneous Implantation of IPP and AUS through a Single Penoscrotal Incision: A Multicenter Study*" (receipt # 258, final abstract nr. OR-040) 12th World Congress of the International Society for Sexual Medicine (ISSM), 2006

Herman Carrion, Jorge Caso, Gerard Henry, Chris Webster, Ryan Mauck, Rafael E. Carrion: "*A Comparison of Peripheral and Corporal Antibiotic Levels in Patients Undergoing Penile Prosthesis Implantation*" J Sex Med 2007;4 (Suppl 1): 74

Gerard D Henry, Mary Jo Brinkman, Steven K Wilson, John R. Delk II, and Mario Cleves: "*Timing and Frequency of Sexual Intercourse After Implantation of an Inflatable Penile Prosthesis*" Sex Med 2007;4 (Suppl 1): 75

Rafael E. Carrion, J. Christopher Webster, Gerard Henry, Kimberly Kern, and Hernan Carrion: "*Comparison of Skin Cultures before and after Skin Preparation Using Betadine or Hibiclens Prior to Penile Prosthesis Surgery*" Sex Med 2007;4 (Suppl 1): 78

Run Wang, Gerard D. Henry, Steven K. Wilson, and John R. Delk: "*Simultaneous Implantation of Inflatable Penile Prosthesis and Artificial Urinary Sphinctor Through a Single Penoscrotal Incision: A Multicenter Study*" J Sex Med 2007;4 (Suppl 1): 79

Gerard D. Henry, Run Wang, Steven K. Wilson, and John R. Delk: "Simultaneous Implantation of Inflatable Penile Prosthesis and Artificial Urinary Sphincter Through a Single Penoscrotal Incision: A Multicenter Study" Abstract #44, Program Book, SES-AUS, 71st Annual Meeting, 2007

Gerard D. Henry, AUA 2008 Laura M. Gintant and Gerard D Henry: "Comparison of a New Length Measurement Technique (NLMT) for IPP Implantation to Standard Techniques: Outcomes and Patient Satisfaction." Poster #25, J Sex Med 2008;5(suppl 1): 14-15.

Gerard D Henry, Neil Kansal, Tobin Grigsby, Tommy Mook, Mark Callaway, and Jonathon Henderson: "A Center of Excellence Concept in Penile Prosthetics: Shorter OR Time, Longer Cylinders, and Better Implant Survival." Poster #28, J Sex Med 2008;5(suppl 1): 15-16

Steven K Wilson, Anthony J Bella, John R Delk, Gerard Henry, Leroy Jones, Fawad Zafar, and Ignacio Moncada: "Dilatation Is Not Necessary For Insertion of the New AMS 700 MS." Poster #29, J Sex Med 2008;5(suppl 1): 16.

Betsy Harrell and Gerard Henry: "Patient Satisfaction Appears to be Higher with the Three –Piece as Compared to the Two-Piece Penile Prosthesis when using a Six-Point Visual Analog Survey for Evaluating Satisfaction Rates." Poster #42, J Sex Med 2008;5(suppl 1): 20.

L. Dean Knoll, Daniel Culkun, Gerard Henry, Dana Ohl, Juan Otheguy, Steven K Wilson, John Delk and Ridwan Shabsigh: "Physician and Patient Satisfaction with the new AMS 700TM MSTM Inflatable Penile Prosthesis." Poster #45, J Sex Med 2008;5(suppl 1): 20.

Gerard Henry : "The Soft Cast Wrap (Mummy Wrap) Reduces Surgical Hematoma Rates and Pump Malposition After Placement of an Inflatable Penile Prosthesis." Poster #112, Sexual Medicine NA 2008 Fall Meeting, Toronto, Ontario

Gerard Henry; "The Finger Sweep Dissection for the Penoscrotal Approach to Placement of a Penile Prosthesis Appears to be Faster, Easier and Safer than the Traditional Hunt and Peck Method." Poster #117, Sexual Medicine NA 2008 Fall Meeting, Toronto, Ontario

Gerard Henry: "The Finger Sweep Dissection for the Penoscrotal Approach to Placement of a Penile Prosthesis." Moderated Poster #029, Joint Congress of the European and International Societies of Sexual Medicine, December 2008, Brussels, Belgium

Gerard Henry: "The Soft Cast Wrap (Mummy Wrap) Reduces Surgical Hematoma Rates and Pump Malposition After Placement of an Inflatable Penile Prosthesis." Moderated Poster #031, Joint Congress of the European and International Societies of Sexual Medicine, December 2008, Brussels, Belgium

Gerard Henry, Run Wang, Rafael Carrion and James A. Haley: "Correlation of Pre-op and Post-op Penile Measurements with the Titan® Inflatable Penile Prosthesis (IPP)." Poster #57, Sexual Medicine Society NA 2009 Fall Meeting, San Diego, CA

Gerard Henry: "Right-sizing: Choosing Longer Instead of Shorter in Inflatable Penile Prostheses Implantation: Single Surgeon Outcomes and Nationwide Database Analysis Evaluating a Paradigm Shift in Implant Sizing." Poster #74, Sexual Medicine Society NA 2009 Fall Meeting, San Diego, CA

Gerard Henry, William Connor, Cully Carson, Steven Wilson, Aaron Lentz, Edward Rampersaud, Mario Cleves, Caroline Simmons, Craig Donatucci: "Revision Washout appears to improve Mechanical Failure Rates in an Outcomes Analysis of Over 200 Revision Surgeries for Penile Prosthesis Implantation: A Multicenter Study." Poster #1268, J Urology 2010; 183 (suppl): e491.

Gerard Henry, Allen Morey, Jeffrey Brady, John Mulcahy: "A Multicenter Study on the Single Incision Perineal Approach for Placement of an Artificial Urinary Sphincter Appears to be Safe and with Better Pump Placement than the Traditional Two Incision Method." Poster #1607, J Urology 2010; 183 (suppl): e620-1.

Anthony Bella and Gerard Henry: "Safety Data and Technical Considerations for Same-Day Discharge Three-Piece Penile Prosthesis Surgery with 3 to 6 Years Follow-Up". Poster #NM20, Sexual Medicine Society NA, 2010 Fall Meeting, Miami, FL.

Gerard Henry and Elizabeth Rae: "Momentary Squeeze Pump Cylinders that are Unable to Inflate, Rescued with Pull / Stretch Technique" Poster #82, Sexual Medicine Society NA, 2010 Fall Meeting, Miami, FL.

Gerard Henry, Rafael Carrion and Run Wang: "Maintaining Penile Length with the Titan Inflatable Penile Prosthesis (IPP)", Poster #103, Sexual Medicine Society NA, 2010 Fall Meeting, Miami, FL.

Gerard Henry and Elizabeth Rae: "Momentary Squeeze Pump Cylinders that are Unable to Inflate, Rescued with Pull / Stretch Technique" Poster #108, Southeastern Section of the AUA, Annual Meeting, March 17-20, 2011, New Orleans, LA.

Gerard Henry: T. Leon Howard Imaging Session. Case #3, Southeastern Section of the AUA, Annual Meeting, March 17-20, 2011, New Orleans, LA.

Gerard Henry, Culley Carson, John Delk II, Stephen McKim, Erin McNamara, Mario Cleves, Caroline Simmons, Anthony Bella, Craig Donatucci. "Positive Culture Growths from Infection Retardant-Coated Penile Prostheses at the time of Revision / Salvage Surgery: A Multi-Center Study", Abstract #1801, AUA Annual Meeting, May 2011, Washington DC.

Anthony Bella, Brian Christine, Gerard Henry, Andrew C. Kramer, Eugene Rhee, Mohit Khera, William Brant, Nelson E. Be, Edward Karpman, LeRoy Jones, Rafael Carrion. "Review of 1103 Inflatable Penile Prosthetic Surgeries Performed in 2009 Demonstrates Almost Complete Variability for Irrigation and Antibiotic Practice amongst Eleven High-Volume Reconstructive Surgeons", Abstract #1807, AUA Annual Meeting, May 2011, Washington DC.

Gerard Henry<sup>1</sup> and Francois Eid<sup>2</sup>. EARLY EXPERIENCE AND RIGIDITY RESULTS WITH TITAN® XL/LARGE CYLINDERS. Poster #74, Southeastern Section of the AUA, Annual Meeting, March 2012, Amelia Island, FL.

Gerard Henry, Allen Morey, Jeffrey Brady, Charles Secret, and Brian Flynn. CAPSULE-TO-CAPSULE CLOSURE MAY HAVE LESS URETHRAL STRICTURE RATES THAN MUSCOSA-TO-MUSCOSA CLOSURE FOR SURGICAL MANAGEMENT OF ARTIFICIAL URINARY SPHINCTER EROSION: A PRELIMINARY FIVE-CENTER STUDY. Poster # 1187. AUA Annual Meeting, May 2012, Atlanta, GA.

Gerard Henry. Pertinent Anatomical Measurements of the Retropubic Space: A Guide for Inflatable Penile Prosthesis Reservoir Placement Shows that the External Iliac Vein is Much Closer than Thought. Abstract #027. SMSNA / World Meeting on Sexual Medicine. August 2012, Chicago, IL.

Gerard Henry, Rafael Carrion, Anthony Bella, Edward Karpman, Brian Christine, Caroline Jennerman, Andrew Kramer and Leroy Jones: Pertinent Anatomical Measurements of the Retropubic Space Shows That the External Iliac Vein is Much Closer than Thought. Podium #64, Southeastern Section of the American Urologic Association, Williamsburg, VA. March 17, 2013

Gerard Henry, Run Wang, and Rafael Carrion: Multicenter Prospective Study on Penile Measurements 2 Years After Placement of a Titan Three-Piece Inflatable Penile Prosthesis. Poster #91, Southeastern Section of the American Urologic Association, Williamsburg, VA. March 15, 2013

Gerard Henry; Chris Smith; Steven Wilson; John Delk II; Mario Cleves; Caroline Jennermann; Culley Carson. POSITIVE CULTURE GROWTHS FROM INFECTION-RETARDANT COATED PENILE PROSTHESES AT THE TIME OF REVISION / SAVLAGE SURGERY: A MULTICENTER STUDY. Poster # 1223. AUA Annual Meeting, May 2013, San Diego, CA.

Edward Karpman; Gerard Henry; William Brant; Leroy Jones; Bryan Kansas; Mohit Khera; Tobias Kohler; Nelson Bennett; Anthony J. Bella. AMS 700 Conceal Reservoir submuscular placement: results for 50 patients from the Prospective Registry of Outcomes with Penile Prosthesis for Erectile Restoration (PROPPER). Poster # 1227. AUA Annual Meeting, May 2013, San Diego, CA.

Gerard Henry; Chris Smith; Steven Wilson; John Delk II; Mario Cleves; Caroline Jennermann; Culley Carson. INFECTION RETARDANT COATED VERSUS NON-COATED PENILE PROSTHESIS CULTURES

DURING REVISION SURGERY: A MULTICENTER STUDY. Poster # 1663. AUA Annual Meeting, May 2013, San Diego, CA.

Gerard Henry for Chris Smith, Gerard Henry, Culley Carson, John Delk, Craig Donatucci, Caroline Simmons, Steven Wilson. Positive Culture Growths from Infection-Retardant Coated Penile Prostheses at the Time of Revision / Salvage Surgery: A Multi-center Study. SMSNA Annual Fall Scientific Meeting, November 21-24, 2013, New Orleans. Poster # 070.

Chris Smith, Gerard Henry Steven Wilson, John Delk, Craig Donatucci, Caroline Simmons, Culley Carson. Infection Retardant Coated versus non-Coated Penile Prosthesis Cultures During Revision Surgery: A Multi-center Study. SMSNA Annual Fall Scientific Meeting, November 21-24, 2013, New Orleans. Poster # 074.

Ed Karpman, Gerard Henry, William Brant, Leroy Jones, Brian Kansas, Mohit Khera, Tobias Kohler, Nelson Bennett, Anthony Bella. AMS 700 Conceal Reservoir Sub-Muscular Placement: Initial Results with 1-Year Follow-up From the Prospective Registry of Outcomes with Penile Prosthesis for Erectile Restoration (PROPPER). SMSNA Annual Fall Scientific Meeting, November 21-24, 2013, New Orleans. Poster # 078.

Gerard Henry, Run Wang and Rafael Carrion. MULTICENTER PROSPECTIVE STUDY ON PENILE MEASUREMENTS 2 YEARS AFTER PLACEMENT OF A TITAN THREE-PIECE INFLATABLE PE- NILE PROSTHESIS. SES AUA Annual Meeting, March 20-23, 2014, Hollywood, FL. Poster # 91.

Gerard D Henry, Gary Price, Michael Pryor, Jason Greenfield, Leroy Jones, Paul Perito, Allen Morey, Anthony Bella, and Tobias Kohler: "OBSERVATION OF LOCAL CLINICAL PENILE PROSTHESES INFECTIONS INSTEAD OF IMMEDIATE SLAVAGE RESCUE / REMOVAL: EIGHT CENTER STUDY WITH SURPRISING RESULTS" AUA Annual Meeting, May 19, 2014, PD20-04, Page 169

Gerard D Henry, Edward Karpman, Bryan Kansas, William Brant, Leroy Jones, Nelson Bennett, Mohit Khera, Tobias Kohler, Andrew Kramer, Brian Christine, Eugene Rhee and Anthony Bella : "HAVE ADVANCES IN PATIENT PREPARATION, SURGICAL TECHNIQUES, AND ANTIBIOTIC COATINGS REDUCED INFLATABLE PENILE PROSTHESIS PRIMARY IMPLANTATION INFECTION RATES TO NEARLY ZERO? A LARGE PROSPECTIVE MULTICENTER REGISTRY EXPERIENCE" AUA Annual Meeting, May 19, 2014, PD20-10, Page 169.

Henry, G., Price, G., Pryor, M., Greenfield, J., Jones, L., Perito, P., Morey, A., Goldstein, I., Bella, A., Kohler, T., Land, S., Berger, A., Cohen, S. Observation of local clinical penile prostheses infections instead of immediate salvage rescue/removal: Ten center study with surprising results. SMSNA Annual Fall Scientific Meeting, November 20-23, 2014, Miami Beach, FL. Poster #92.

Brant, W., Kohler, T., Henry, G., Karpman, E., Kansas, B., Jones, L., Christine, B., Bennett, N., Khera, M., Bella, A. Podium presentation: 014. "Unexpected" corporal fibrosis should be "expected": the prevalence of significant corporal fibrosis encountered during penile prosthetics. SMSNA Annual Fall Scientific Meeting, November 20-23, 2014, Miami Beach, FL. Podium Presentation #14.

Karpman, E., Bella, A., Brant, W., Kansas, B., Jones, L., Kohler, T., Christine, B., Bennett, N., Khera, M., Henry, G. Outcomes of IPP placement by surgical approach, penoscrotal vs infrapubic, results from a prospective multicenter study. SMSNA Annual Fall Scientific Meeting, November 20-23, 2014, Miami Beach, FL. Podium Presentation #15.

Kohler, T., Brant, W., Karpman, E., Kansas, B., Jones, L., Christine, B., Bennett, N., Khera, M., Bella, A., Henry, G. Use of rear tip extenders does not affect penile implant satisfaction or outcomes. SMSNA Annual Fall Scientific Meeting, November 20-23, 2014, Miami Beach, FL. Poster # 106.

Henry, G., Karpman, E., Kansas, B., Brant, W., Jones, L., Bennett, N., Khera, M., Kohler, T., Kramer, A., Christine, B., Rhee, E., Carrion, R., Bella, A. Are some US academic centers regulating themselves out of multicenter studies: The propper registry experience with IRB and contract approval. SMSNA Annual Fall Scientific Meeting, November 20-23, 2014, Miami Beach, FL. Poster # 164.

Gerard Henry, Edward Karpman, Bryan Kansas, William Brant, Leroy Jones, Nelson Bennett, Mohit Khera, Tobias Kohler, Andrew Kramer, Brian Christine, Eugene Rhee, Rafael Carrion, Andrew Neeb, and Anthony Bella. ARE SOME U.S. ACADEMIC CENTERS REGULATING THEMSELVES OUT OF MULTICENTER STUDIES? THE PROPPER REGISTRY EXPERIENCE WITH IRB AND CONTRACT APPROVAL. SES—AUA Annual Meeting, March 19-22, 2015, Poster #23, Page 32.

Gerard Henry, Gary Price, Michael Pryor, Jason Greenfield, Leroy Jones, Tobias Kohler, Irwin Goldstein, and Paul Perito: OBSERVATION OF LOCAL CLINICAL PENILE PROSTHESES INFECTIONS INSTEAD OF IMMEDIATE SALVAGE RESCUE / REMOVAL: MULTICENTER STUDY WITH SURPRISING RESULTS. SES—AUA Annual Meeting, March 19 – 22, 2015, Poster #86, Page 58.

Gerard Henry. Post Penile Implant Rehabilitation: What and When. AUA Annual Meeting, May 15-19, 2015. New Orleans, LA. Session 7 for SMSNA, Sat. May 16, 2016.

Nelson Bennett\*, Burlington, MA, Anthony Bella, Ottawa, Canada, Gerard Henry, Shreveport, LA, Edward Karpman, Mountain View, CA, Will Brant, Salt Lake City, UT, LeRoy Jones, San Antonio, TX, Bryan Kansas, Austin, TX, Tobias Kohler, Springfield, IL, Mohit Khera, Houston, TX. IMPLANT LENGTH – BASELINE CHARACTERISTIC CORRELATIONS. AUA Annual Meeting, May 15-19, 2015. New Orleans, LA. Poster PD 26-06.

Edward Karpman\*, Mountain View, CA, Anthony Bella, Ottawa, Canada, William Brant, Salt Lake City, UT, Brian Christine, Homewood, AL, Bryan Kansas, Austin, TX, LeRoy Jones, Sa Antonio, TX, Tobias Kohler, Springfield, IL, Nelson Bennett, Burlington, MA, Mohit Khera, Houston, TX, Gerard Henry, Shreveport, LA. OUTCOMES OF IPP PLACEMENT BY SURGICAL APPROACH, PENOSCROTAL VS INFRAPUBIC, RESULTS FROM A PROSPECTIVE MULTICENTER STUDY. AUA Annual Meeting, May 15-19, 2015. New Orleans, LA. Poster PD 26-10.

Tobias Kohler\*, Springfield, IL, Anthony Bella, Ottawa, Canada, Edward Karpman, Mountain View, CA, William Brant, Salt Lake City, UT, Brian Christine, Homewood, AL, LeRoy Jones, San Antonio, TX, Bryan Kansas, Austin, TX, Nelson Bennett, Burlington, MA, Mohit Khera, Houston, TX, Gerard Henry, Shreveport, LA. PENILE IMPLANTS – WHY ARE MEN DISSATISFIED? AUA Annual Meeting, May 15-19, 2015. New Orleans, LA. Poster PD 40-10.

Michael Pryor, Rafael Carrion, Run Wang and Gerard Henry: PROSPECTIVE EVALUATION OF POSTOPERATIVE PENILE REHABILITATION: PENILE MORPHOLOGY AND PATIENT SATISFACTION 2 YEARS FOLLOWING COLOPLAST TITAN INFLATABLE PENILE PROSTHESIS. SMSNA-- Fall Scientific Meeting, November 19-22, 2015, Poster #066. Page 30.

Mo Khera, Anthony Bella, Edward Karpman, William Brant, Brian Christine, Bryan Kansas, Leroy Jones, Tobias Kohler, Nelson Bennett, Eugene Rhee and Gerard Henry. PENILE PROSTHESIS CAN SAFELY AND EASILY BE INSERTED IN PATIENTS WITH PEYRONIE'S DISEASE: RESULTS OF THE PROPPER STUDY. SMSNA--Fall Scientific Meeting, November 19-22, 2015, Poster #114. Page 38.

Martin Gross, Gerard Henry and Run Wang. PREOP VS POSTOP PENILE LENGTH / GIRTH MAINTENANCE AND SATISFACTION FOLLOWING AMS 700LGX INFLATABLE PENILE PROSTHESIS IMPLANTATION. SMSNA--Fall Scientific Meeting, November 19-22, 2015, Poster #144. Page 43.

Martin Gross, E.A. Phillips, G.D. Henry, J.F.Eid, B. Garber, C. Yang, R. Simon, D. Martinez, R. Carrion, D.S. Stember, P. Perito, N. Bennett, L. Levine, J. Greenfield and R. Munarriz. A REVIEW OF MICROORGANISMS ISOLATED AT SALVAGE OR EXPLANT OF IPPs: ARE WE COVERING THE CORRECT BUGS? SMSNA--Fall Scientific Meeting, November 19-22, 2015, Poster #007. Page 46.

Gerard Henry, USA, E. Karpman, W. Brant, B. Christine, B. Kansas, M. Khera, L. Jones, N. Bennett, E. Rhee, E. Eisen- hart, A. Bella. Baseline data of real-world penile implant patients in 2015 from the Prospective Registry of Outco- mes with Penile Prosthesis for Erectile Restoration (PROPPER). 18th Congress of the European Society for Sexual Medicine. Annual Meeting, February 4-6, 2016. Madrid Spain. Highlighted Poster Tour HP-05, 001.

Tobias Kohler, USA. A. Bella, E. Karpman, W. Brant, B. Christine, L. Jo- nes, B. Kansas, N. Bennett, M. Khera, E. Rhee, G. Henry. Penile implant device dissatisfaction & reasons for non-use from the PROPPER

study. 18th Congress of the European Society for Sexual Medicine. Annual Meeting, February 4-6, 2016. Madrid Spain. Highlighted Poster Tour PS-06, 002.

Michael Pryor, Rafeal Carrion, Run Wang and Gerard Henry: PROSPECTIVE EVALUATION OF POSTOPERATIVE PENILE REHABILITATION: PENILE MORPHOLOGY AND PATIENT SATISFACTION 2 YEARS FOLLOWING COLOPLAST TITAN INFATABLE PENILE PROSTHESIS. SES—AUA Annual Meeting, March 17 – 20, 2016, Poster #70, Page 193.

Martin Gross and Gerard Henry: EMERGING DATA REGARDING TRENDS IN SURGICAL EDUCATION AND RESEARCH FINANCIAL RELATIONSHIPS BETWEEN DEVICE MANUFACTURERS AND PROSTHETIC UROLOGISTS. SES—AUA Annual Meeting, March 17 – 20, 2016, Poster #170, Page 81.

Martin Gross, Culley Carson III, Steven Wilson, John Delk II, Craig Donatucci and Gerard Henry: IN CONTRAST TO PRIOR STUDY, NEW DATA SHOWS BACTERIA FOUND AT REVISION IPP SURGERY DIFFERS FROM PREVIOUSLY IDENTIFIED BIOFILM. SES—AUA Annual Meeting, March 17 – 20, 2016, Podium #49, Page 78.